Congenital Syphilis in Infants < 1 Year of Age, Cases and Rates, California Counties & Selected City Health Jurisdictions, 2001–2005 Provisional Data

COUNTY	2001		2002		2003		2004		2005	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
CALIFORNIA	62	11.8	49	9.3	69	12.8	63	11.6	67	12.2
Alameda	4	18.2	-	-	4	18.5	1	4.8	3	14.3
— Berkeley ¹	-	-	-	-	-	-	-	-	-	-
Alpine	-	-	-	-	-	-	-	-	-	-
Amador	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-
Calaveras	-	-	-	-	-	-	-	-	-	-
Colusa	-	-	-	-	-	-	-	-	-	-
Contra Costa	1	7.6	1	7.5	2	15.1	-	-	1	7.4
Del Norte	-	-	-	-	-	-	-	-	-	-
El Dorado	-	-	-	-	-	-	-	-	-	-
Fresno	2	14.0	-	-	3	19.5	2	12.6	2	12.4
Glenn	-	-	-	-	-	-	1	251.3	-	-
Humboldt	-	-	-	-	-	-	-	-	-	-
Imperial	1	38.5	-	-	1	34.4	3	104.9	2	68.3
Inyo	-	-	-	-	-	-	-	-	-	-
Kern	4	34.1	1	8.2	1	7.8	3	22.3	4	29.2
Kings	-	-	-	-	-	-	1	39.2	-	-
Lake	-	-	-	-	-	-	-	-	-	-
Lassen	-	-	-	-	-	-	-	-	-	-
Los Angeles	30	19.5	28	18.5	30	19.7	27	17.8	29	19.2
— Long Beach ¹	2	24.4	1	12.6	_	_	2	25.4	3	38.1
— Pasadena ¹					_	_	1	44.0	1	44.0
— Pasadena Madera		_			_		•	44.0	'	44.0
Marin	2	69.8	-		-	-	-	_	-	_
Mariposa		09.6	-	-	-	-	-		-	-
Mendocino	-1	-	-	-	-	-	-	-	-	-
	- 1	-	-	-	-	-	-	-	-	-
Merced	- 1	-	-	-	-	-	-	-	-	-
Modoc	- 1	-	-	-	-	-	-	-	-	-
Mono	- 1	-	-	-	-	40.5	-	-	-	-
Monterey	+	-	-	-	1	13.5	-	-	-	-
Napa	1	63.9	-	-	-	-	-	-	-	-
Nevada	-	-		-	-		-	-	-	-
Orange	2	4.4	5	11.2	2	4.4	6	13.3	3	6.6
Placer	- 1	-	-	-	-	-	-	-	-	-
Plumas				-			-	-	-	-
Riverside	2	7.9	1	3.7	4	14.3	1	3.4	3	9.8
Sacramento	-	-	-	-	-	-	1	4.8	2	9.4
San Benito	- 1	-	-	-			-		-	-
San Bernardino	-		-		3	9.7	1	3.1	3	9.2
San Diego	7	16.0	3	6.8	10	22.0	7	15.3	4	8.7
San Francisco	1	12.1	-	-	-	-	1	11.7	-	-
San Joaquin	1	10.2	4	39.4	-	-	-	-	1	8.7
San Luis Obispo	-	-	-	-	-	-	-	-	-	-
San Mateo	-	-	-	-	-	-	-	-	-	-
Santa Barbara	1	17.8	1	17.6	1	17.2	1	16.1	-	-
Santa Clara	2	7.4	3	11.1	6	22.2	5	18.8	3	11.4
Santa Cruz	-	-	-	-	-	-	-	-	-	-
Shasta	-	-	-	-	-	-	-	-	-	-
Sierra	-	-	-	-	-	-	-	-	-	-
Siskiyou	-	-	-	-	-	-	-	-	-	-
Solano	-	-	-	-	-	-	-	-	2	34.4
Sonoma		-	-	-	-	-	-	-	-	-
Stanislaus	- 1	-	1	12.6	1	12.5	-	-	1	12.2
Sutter	- 1	-	-	-	-	-	1	74.5	-	-
Tehama	-	-	-	-	-	-	-		-	-
Trinity	-	-	-	-	-	-	-	-	-	-
Tulare	1	13.7	-	-	-	-	1	12.6	1	12.3
Tuolumne	1 -1	-	_	_	_	_	-	-		-
Ventura		_	1	8.6	_	_	_	_	1	8.3
Yolo	-	-	<u>'</u>	0.0	- [_ [-	-	2	80.9
			-	- [-	-	-	-		00.9
Yuba	-	-	-	-	-	-	-	-	-	-

¹ City Health Department numbers are included in their respective county totals.

Note: Rates are per 100,000 live births.

Source: California Department of Health Services, STD Control Branch

State of California, Department of Finance, Demographic Research Unit, Historical and Projected Births by County, 2000-2014, with Births and Fertility Rates by Race/Ethnicity and Age of Mother. Sacramento, California, September 2005

State of California, Department of Health Services, Vital Statistics Section, Live Births by Race/Ethnic Group of Mother, California Counties and Selected City Health Departments, California, 2004

Congenital Syphilis in Infants less than One Year of Age, Cases and Rates by Race/Ethnicity of Mother, California, 2001–2005 Provisional Data

RACE/ ETHNICITY	2001		2002		2003		2004		2005	
	Cases	Rate								
CALIFORNIA	62	11.8	49	9.3	69	12.8	63	11.6	67	12.2
Native American/Alaskan Native	0	0.0	1	50.9	0	0.0	1	48.2	0	0.0
Asian/Pacific Islander	1	1.7	1	1.6	5	7.8	2	3.1	8	12.3
African-American/Black	10	32.3	8	26.8	14	47.9	10	34.9	13	45.0
Hispanic/Latina	45	17.2	34	12.9	45	16.7	43	15.6	36	13.0
White	6	3.7	4	2.5	5	3.1	6	3.8	8	5.0
Not Specified	0	-	1	-	0	-	1	-	2	-

Note: Rates are per 100,000 live births.

Source: California Department of Health Services, STD Control Branch

State of California, Department of Health Services, Vital Statistics Section, *Live Births by Race/Ethnic Group of Mother, California Counties and Selected City Health Departments, California, 2004*

(2005 denominator data was created by multiplying the 2004 race/ethnic percent distribution by the 2005 projected births.)

Congenital Syphilis in Infants less than One Year of Age, Cases by Classification, California Counties & Selected City Health Jurisdictions, 2005 Provisional Data

COUNTY	Total	Confirmed	Stillbirth	Presumptive Cases			
COONTT	Cases	Cases	Cases	Probable ¹	Possible ²		
CALIFORNIA	67	0	1	40	26		
Alameda	3	-	-	-	3		
— Berkeley ³	-	-	-	-	-		
Alpine	-	-	-	-	-		
Amador	-	-	-	-	-		
Butte	-	-	-	-	-		
Calaveras	-	-	-	-	-		
Colusa	-	-	-	-	-		
Contra Costa	1	-	-	1	-		
Del Norte	-	-	-	-	-		
El Dorado	2	-	-	-	-		
Fresno Glenn	2	-	-	-	2		
Humboldt	-	-	-	_	-		
Imperial	2	_	_	1	1		
Inyo	_						
Kern	4	_	-	1	3		
Kings		_	_				
Lake	_	_	-	-	_		
Lassen	-	-	-	-	-		
Los Angeles	29	_	1	21	7		
— Long Beach ³	3	-	-	_	3		
— Pasadena ³	1	_	-	_	1		
Madera		_	-	_			
Marin	_	_	-	_	_		
Mariposa	-	-	-	-	-		
Mendocino	-	-	-	-	-		
Merced	_	-	-	-	-		
Modoc	-	-	-	-	-		
Mono	-	-	-	-	-		
Monterey	-	-	-	-	-		
Napa	-	-	-	-	-		
Nevada	-	-	-	-	-		
Orange	3	-	-	3	-		
Placer	-	-	-	-	-		
Plumas	-	-	-	-	-		
Riverside	3	-	-	1	2		
Sacramento	2	-	-	2	-		
San Benito	-	-	-	-	-		
San Bernardino San Diego	3	-	-	3 3	- 1		
San Francisco	4	-	-	3	'		
San Joaquin	1	_	_	_	1		
San Luis Obispo				_	<u>'</u>		
San Mateo	_	_	-	_	_		
Santa Barbara	_	_	-	-	_		
Santa Clara	3	_	-	1	2		
Santa Cruz	_	_	-	-			
Shasta	-	-	-	-	-		
Sierra	-	-	-	-	-		
Siskiyou	-	-	-	-	-		
Solano	2	-	-	1	1		
Sonoma	-	-	-	-	-		
Stanislaus	1	-	-	1	-		
Sutter	-	-	-	-	-		
Tehama	-	-	-	-	-		
Trinity	-	-	-	-	-		
Tulare	1	-	-	-	1		
Tuolumne	-	-	-	-	-		
Ventura	1	-	-	-	1		
Yolo	2	-	-	1	1		
Yuba	-	-	-	-	-		

CDC Algorithm for Presumptive Cases

Source: California Department of Health Services, STD Control Branch

¹ Mother not treated adequately or treatment unknown before or during pregnancy; or mother treated adequately before or during pregnancy, but evidence of treatment failure or reinfection.

² Mother treated adequately before or during pregnancy, but response was equivocal or could not be determined prior to delivery and infant was not evaluated.

 $^{^{\}rm 3}$ City Health Department numbers are included in their respective county totals.